

OVERVIEW



1.	Bring your Own Meeting (BYOM) connector *	6. 2x USB-C (USB 10Gbps)
2.	HDMI-in *	7. HDMI-out 2.1 TMDS
3.	3x USB-A (USB 5Gbps), with BYOM	8. Ethernet (RJ-45)
4.	USB-A (Hi-Speed USB), with IP Controller	9. HDMI-out 2.1 TMDS
5.	Power connector	

Notes:

• Items with * are only available on selected models



PERFORMANCE

Compute Unit

Compute Unit[1]

Features	Information	
(Optional 1) Intel® Core™ Ultra 5 135H, 14C (4P + 8E + 2LPE) / 18T, Max Turbo up to 18MB (Optional 2) Intel® Core™ Ultra 7 165H, 16C (6P + 8E + 2LPE) / 22T, Max Turbo up to 24MB		
Operating System	Windows® 11 IoT Enterprise for Collaboration GAC 64	
Graphics	Integrated Intel® Arc™ Graphics. Max Resolution: 3840x2160@60Hz(HDMI® 2.1 TMDS)	
Chipset	Intel® SoC (System on Chip) platform	
Memory (Two Options)	(Optional 1) 16GB (2x 8GB) DDR5 5600 SO-DIMM, Dual-Channel (Optional 2) 32GB (2x 16GB) DDR5 5600 SO-DIMM, Dual-Channel	
Storage	One drive, 256GB SSD M.2 2280 PCIe® 4.0x4 NVMe® Opal 2.0	
Power Supply (Two Options)	(Optional 1) 135W 89% Adapter, autosensing, without BYOM (Optional 2) 170W 89% Adapter, autosensing, with BYOM	
Onboard Ethernet	Gigabit Ethernet, Intel® Ethernet Connection I219-LM, 1x RJ45	
WLAN + Bluetooth®	Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3, Intel® vPro® technology support, M.2 Card	
Case Color	Black	
Rear Ports	 2x USB-C® (USB 10Gbps / 3.2 Gen 2), with 15W power supply and DisplayPort™ 1.4 (Optional) 1x USB-C® in (USB 5Gbps / USB 3.2 Gen 1), with BYOM and 45W power supply 3x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (Hi-Speed USB / USB 2.0), with IP controller (Optional) 1x HDMI®-in 2x HDMI®-out 2.1 TMDS 1x Ethernet (RJ-45) 1x Power connector 	
Dimension (WxDxH)	with cable management with rubber feet: $185 \times 220 \times 42.8 \text{ mm}$ (7.28 x 8.66 x 1.69 inches) with cable management without rubber feet: $185 \times 220 \times 38 \text{ mm}$ (7.28 x 8.66 x 1.5 inches) without cable management: $185 \times 140 \times 38 \text{ mm}$ (7.28 x 5.51 x 1.5 inches)	
Weight	with cable management: 1.01 kg (2.23 lbs) without cable management: 0.86 kg (1.90 lbs)	
BIOS Security	Supervisor password Power-on password Hard disk password Smart USB protection	
Security Chip	Discrete TPM 2.0, TCG certified	
Physical Locks	Kensington® Security Slot™	

Notes:

[1] Bring Your Own Meeting(BYOM) mode setting by BIOS setup or by ThinkSmart™ Manager Portal

DESIGN

Mechanical

Component Options**

Product	Compute System	Controller	Audio Bar
ThinkSmart™ Core Gen 2	1x ThinkSmart™ Core Gen 2	-	-
ThinkSmart™ Core Gen 2+CTRL	1x ThinkSmart™ Core Gen 2	1x ThinkSmart™ Controller	-
ThinkSmart™ Core Gen 2+IPCTRL	1x ThinkSmart™ Core Gen 2	1x Lenovo® IP Controller	-



ThinkSmart™ Core Gen 2 FRK	1x ThinkSmart™ Core Gen 2 1x	lx ThinkSmart™ Controller	1x ThinkSmart™ Bar 180	
ThinkSmart™ Core Gen 2 IPFRK	1x ThinkSmart™ Core Gen 2	lx Lenovo® IP Controller	1x ThinkSmart™ Bar 180	

Controller

ThinkSmart™ Controller

Features	Information
Display	 10.1" Display, 1280x800 10-point touch Up to 340 nits brightness 16:10 aspect ratio 30° and 60° rotatable Anti-Fingerprint, Anti-Glare
Ports	• 1x USB-C® (connect to compute unit, 10m USB-C® cable incluided) • 1x 3.5mm headphone / mic combo jack
Security	Kensington® MiniSaver Security Slot
Dimension (WxDxH)	265.5 x 13 x 168.1 mm (10.5 x 0.5 x 6.6 inches)
Weight	753.8 g (1.7 lbs)

Lenovo® IP Controller

Features	Information
Display	 10.1" Display, 1280x800 10-point touch Up to 340 nits brightness 16:10 aspect ratio 30° and 60° rotatable Anti-Fingerprint, Anti-Glare
Ports	 1x Gigabit Ethernet (RJ-45) 1x HDMI®-in 1x Power Connector (on Link Box) 1x Gigabit Ethernet (RJ-45, on Link Box) 1x HDMI® out (on Link Box) 1x USB-B (on Link Box)
Security	Kensington® MiniSaver Security Slot
Dimension (WxDxH)	248 x 151 x 100 mm (9.76 x 5.94 x 3.94 inches)
Weight	0.97 kg (2.16 lbs)

Audio Bar

ThinkSmart™ Bar 180

Features	Information
Audio	4x Speaker (2x woofer, 2x tweeter)Stereo audio out80 Hz to 20 KHz frequency range
Microphone	8x microphone beamforming array-37dBFS sensitivity100 Hz to 8 KHz frequency range
Camera	 3x Camera Up to 3840 x 1080@30fps 16:10 13 megapixels Panoramic 4K 180° Horizontal FoV, 54° Vertical FoV
Ports	• 1x USB-C® • 1x USB-A • 1x RJ 45
Dimension (WxDxH)	650 x 80 x 125 mm (25.6 x 3.1 x 4.9 inches)

ThinkSmart Core Gen 2 for Microsoft Team Rooms



Weight 2.2 kg (4.85 lbs)

MANAGEABILITY

System Management

System Management

Intel® vPro® Enterprise

SERVICE

Warranty^[1]

Base Warranty

3-year limited onsite service

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to https://smartfind.lenovo.com/. To learn more details of warranty policy, please access https://support.lenovo.com/warrantylookup/warrantypolicy.

ACCESSORIES

Bundled Accessories

Bundled Accessories***

- (Optional) External adapter cage
- (Optional) Removable cable management box
- (Optional) Lenovo® BYOM Cable for ThinkSmart™ Core Gen 2 USB-C® to USB-C® 3m
- (Optional) Lenovo® BYOM Cable for ThinkSmart™ Core Gen 2 USB-C® to USB-C® 5m (non-Display)
- (Optional) VESA mount bracket

CERTIFICATIONS

Other Certifications

Other Certifications

Microsoft® Teams Certification

SOFTWARE

Preinstalled Software

Preinstalled Software

Microsoft® Teams Rooms

- This is a telepresence technology product.
- Feature with ** means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with *** means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- · The specifications on this page may not be available in all regions, and may be changed or updated without



notice.











