DCLTechnologies





New level of visual comfort

Dell UltraSharp 27 Monitor | U2724D

The world's #1 monitor company*

* Dell monitors are #1 Worldwide for 9 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2023. From 2014 to 2023.

Bring your visual comfort to the next level





Experience a new level of visual comfort and productivity with this monitor certified by TÜV Rheinland for 5-star eye comfort.¹

Enhanced visual comfort

Protect your eyes from harmful blue light emission without sacrificing color with improved ComfortView Plus that reduces harmful blue light to less than 35%. Combined with 120Hz refresh rate and ambient light sensing, it achieves 5 star certification from TÜV Rheinland for all-day eye comfort. Experience deeper blacks with 2000:1 contrast ratio on an IPS Black panel. See vibrant colors with 98% DCI-P3, 98% Display P3, 100% sRGB and 100% BT.709 color space and easily calibrate your colors with Dell Color Management software

Easier connections

Stay connected with extensive connectivity options, including DP1.4, HDMI (HDCP 1.4)(Supports up to QHD 2560 x 1440 120Hz TMDS, VRR as per specified in HDMI2.1) and USB-C upstream ports. Connect to even more devices with additional 3 x USB-A and 1 x USB-C downstream ports. Quick access ports located at the bottom of the panel enable quick connection and charging of your accessories and mobile devices.

Premium design

Designed with a premium finish, this monitor with a built-in cable management system reduces cable clutter. It is adjustable to fit the way you work and be comfortable all day. Built with sustainable practices for the performance you need while meeting EPEAT® Gold, ENERGY STAR® and TCO Certified Edge Displays criteria.



Adjust to your comfort Tilt, swivel, pivot and height

Tilt, swivel, pivot and heightTCCadjustment (150mm max).EPE

ENERGY STAR[®], TCO Certified Edge, EPEAT[®] Gold registered.

Exceptional contrast and stunning colors



Exceptional contrast

See incredible color and deeper blacks with a contrast ratio of 2,000:1 with IPS Black panel technology. With a wide 178°/178° viewing angle, images remain spectacular, from virtually any angle.

True brilliance

With 1.07 billion colors and a wide color gamut (98% DCI-P3, 98% Display P3, 100% sRGB and 100% BT.709) every color will stand out.

Dell Color Management

Easily calibrate your monitor's colors with the new Dell Color Management software¹, developed in partnership with Calman Verified certification. Create and store preset color profiles you can save and use later on your monitor.

1 Compatible with external colorimeter (listed below), sold separately. Portrait Displays: C6 HDR2000, X-Rite: i1Display Pro, i1Display Pro Plus, Klein Instruments: K10, Calibrate: ColorChecker Display Pro, ColorChecker Display Plus.









Sustainability on Dell Monitors

Environmental standards

This monitor is made from 85% PCR (Post-consumer Recyclable) plastic in the design¹, 90% recycled aluminum and meets the latest environmental standards such as ENERGY STAR[®], and TCO Certified Edge, and are EPEAT® Gold² registered.

Eco-conscious packaging

Dell monitors ship in boxes made with 100% renewable content that is also 100% recyclable.³


Energy conservation

Save energy with PowerNap⁴, a feature that dims or puts your monitor to sleep when it's not in use.

Designed for you

Crafted with a premium platinum silver finish, this stylish Dell UltraSharp 27 Thunderbolt Hub monitor fits both home and office environments.






Work comfortably

Experience made-for-you comfort by tilting, swiveling, pivoting and adjusting the height of your monitor (150mm max).

Dell Display Manager



Modern Intuitive User Interface

New modern user interface for ease of use and personalization of features with Menu launcher.

Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 48 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities. Easy Arrange Memory save the placement of your programs and applications in the layouts and restore them when you select the preferred layout.

Stay updated

Get automatic notification anytime for new updates on monitor firmware¹ and software.

Optimize front of screen experience

Get uniform color experience from your monitor seamlessly by matching the color preset of the monitor¹ and the supported ICC profile.

Easy setup and sharing of accessories


Setup a single keyboard and mouse to be shared easily between multiple PCs with USB KVM wizard.¹ Quick access menu or hotkey allow convenient fast switching between PCs.

Easy deployment

DDM is compatible with management tools such as SCCM, InTune and Command Line Interface scripts for easy IT integration and deployment with asset management.

Download Dell Display Manager

Ports & Slots



- 1 Security lock slot¹
- 2 Power connector
- HDMI (HDCP 1.4)(Supports up to QHD 2560 x 1440 120Hz TMDS, VRR as per specified in HDMI2.1)
- **4** DisplayPort 1.4
- 5 Stand lock
- **6** DisplayPort 1.4 (out)
- 7 USB Type-C upstream port (data only, SuperSpeed USB 10Gbps, USB 3.2 Gen 2)
- 8 USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen 2)

- 9 Audio line out
- **10** USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen 2)
- **11** USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen 2) with BC1.2 power charging
- 12 USB Type-C downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen 2) with power charging (15W)

FEATURE	TECHNICAL SPECIFICATION	FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell UltraSharp 27 Monitor - U2724D	SPECIFICATIONS - SERVICE / SUPPORT DETAILS	3-Year Advanced Exchange Service and
DIAGONAL VIEWING SIZE	684.70 mm (27.00 inches)		Premium Panel Exchange
PRESET DISPLAY AREA (H X V)	596.74 mm x 335.66 mm (23.49" x 13.22")	COLOR GAMUT	 100% sR6B 100% BT.709 98% Display P3 98% DCI-P3 1.07 billion colors Delta E < 2 (average) (sRGB, BT.709, Display P3, DCI-P3)
PANEL TYPE	IPS Black Technology		
DISPLAY SCREEN COATING	Anti-Glare with 3H hardness	HEIGHT WITH STAND (COMPRESSED ~	385.58 mm ~ 535.58 mm (15.18" ~ 21.09")
MAXIMUM PRESET RESOLUTION	2560 x 1440 at 120 Hz	EXTENDED) WIDTH WITH STAND	612.24 mm (24.10°)
VIEWING ANGLE	178° vertical / 178° horizontal	DEPTH WITH STAND	192.28 mm (7.57")
PIXEL PITCH	0.2331 mm x 0.2331 mm	HEIGHT WITHOUT	352.51 mm (13.88")
PIXEL PER INCH (PPI)	108.97	STAND	552.5 F mm (15.55)
CONTRAST RATIO	2000 to 1 (typical)	WIDTH WITHOUT STAND	612.24 mm (24.10°)
ASPECT RATIO	16:9	DEPTH WITHOUT	50.12 mm (1.97")
BACKLIGHT TECHNOLOGY	LED	STAND WEIGHT (PANEL ONLY -	4.49 kg (9.90 lb)
BRIGHTNESS	350 cd/m ² (typical)	FOR VESA MOUNT)	
RESPONSE TIME	8 ms (Normal) 5 ms (Fast)	WEIGHT (WITH STAND ASSEMBLY AND CABLES)	6.56 kg (14.46 lb)
AMBIENT LIGHT SENSOR	Yes, auto brightness and color temperature adjustmemt	WEIGHT (WITH PACKAGING)	9.40 kg (20.72 lb)
TÜV EYE COMFORT CERTIFICATION	5 Stars	SECURITY	Security lock slot (cable lock sold separately) Anti-theft stand lock slot (to lock stand to monitor using screw)
CONNECTIVITY	 1 x DP 1.4 (DRR for Microsoft Windows) (Supports 2 x QHD 120Hz 8 bit) 1 x DP out 1 x HDMI (HDCP 1.4)(Supports up to QHD 2560 x 1440 120Hz TMDS, VRR as per specified in HDMI 2.1) 1 x USB-C upstream (Data only, USB 3.2 Gen 2, 10Gbps) 2 x USB-A (USB 3.2 Gen 2 10Gbps) 1 x audio lineout 	COMPLIANT STANDARDS	 ENERGY STAR[®] certified monitor EPEAT[®] registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. TCO Certified & TCO Certified Edge RoHS Compliant BFR/PVC Free monitor (excluding external cables). Arsenic-Free glass and Mercury-Free for the panel only
	 1 x USB-A (USB 3.2 Gen 2 10Gbps with BC 1.2) 1 x USB-C downstream (USB 3.2 Gen 2 10Gbps, 15 W) 	FLAT PANEL MOUNT INTERFACE	VESA mounting holes (100 mm x 100 mm - behind attached VESA Cover)
ADJUSTABILITY	Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-45° to 45°)	TEMPERATURE RANGE	Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F)
PBP / PIP	Pivot (-90° to 90°) Yes	HUMIDITY RANGE	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)
KEYBOARD, VIDEO AND MOUSE (KVM)	No	ALTITUDE	Operating: 5000 m (16404 ft) max Non-Operating: 12192 (40000 ft) max
DAISY CHAIN	Yes	VOLTAGE REQUIRED	100 VAC to 240 VAC / 50 Hz or 60 Hz \pm 3 Hz / 1.6 A (typical)
AVAILABILITY	1 x Audio line-out ¹	POWER CONSUMPTION NORMAL OPERATION	0.3 W (Off mode) ² 0.5 W (Standby mode) ² 23.9 W (On mode) ² 85 W (Max.) ³ 17.1 W (Pon) ⁴ 54.4 kWh (TEC) ⁴
BUILT-IN SPEAKER	No		
DELL DISPLAY	Yes, Easy Arrange, Other key features		
MANAGER COMPATIBILITY		WHAT'S INCLUDED	Monitor, Stand Riser, Stand Base 1 x Power cable 1 x DP Cable (DP to DP) - 1.8 m 1 x USB-A to USB-C Gen 2 cable - 1 m Quick setup guide Safety, Environmental and Regulatory Information Factory calibration report

1 Headphone usage is not supported for the audio line out connector.

2 As defined in EU 2019/2021 and EU 2019/2013.

3 Max brightness and contrast setting with maximum power loading on all USB ports.

4 Pon: Power consumption of On Mode as defined in Energy Star 8.0. TEC: Total energy consumption in kWh as defined in Energy Star 8.0 version.

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to guality and the utmost in customer satisfaction.

Premium Panel Exchange

Dell Premium Panel Exchange¹ allows a free monitor replacement during the Limited Hardware Warranty² period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service³ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.²

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.⁴

* Dell monitors are #1 Worldwide for 9 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2023. From 2014 to 2023.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2023 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

¹ Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.

² For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.

³ Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.

⁴ Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.